

|   | Type | L # | Hits | Search Text   | DBs  | Time Stamp          |
|---|------|-----|------|---|--|---------------------|
| 1 | BRS  | L1  | 2    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (measur\$9 adj30 beam\$1 adj30 current\$1) and ((evaluat\$5 or determin\$5) adj30 tun\$5 adj30 parameter\$1)                                       | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2007/07/18<br>20:59 |
| 2 | BRS  | L2  | 2    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (tun\$5 adj30 algorithm adj30 (parameter\$1 or component\$1))  | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2007/07/18<br>21:00 |
| 3 | BRS  | L3  | 23   | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (deflect\$5 adj30 beam\$1 adj30 edg\$5 adj30 aperture\$1)  | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2007/07/18<br>21:00 |
| 4 | BRS  | L4  | 1    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (deflect\$5 adj30 beam\$1 adj30 edg\$5 adj30 aperture\$1) and ((select\$5 or set\$5 or determin\$5) adj30 focus\$5 adj30 beam\$1 adj30 current\$1) | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2007/07/18<br>20:58 |

|   | Type | L # | Hits | Search Text   | DBs  | Time Stamp          |
|---|------|-----|------|---|--|---------------------|
| 5 | BRS  | L5  | 1    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (deflect\$5 adj30 beam\$1 adj30 edg\$5 adj30 aperture\$1) and ((select\$5 or set\$5 or determin\$5) adj30 focus\$5 adj30 beam\$1 adj30 current\$1)).clm. | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2007/07/18<br>21:14 |
| 6 | BRS  | L6  | 1    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (measur\$9 adj30 beam\$1 adj30 current\$1) and ((evaluat\$5 or determin\$5) adj30 tun\$5 adj30 parameter\$1)).clm.                                       | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2007/07/18<br>20:59 |
| 7 | BRS  | L7  | 1    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (tun\$5 adj30 algorithm adj30 (parameter\$1 or component\$1))).clm.  | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2007/07/18<br>21:00 |
| 8 | BRS  | L8  | 3    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (deflect\$5 adj30 beam\$1 adj30 edg\$5 adj30 aperture\$1) and (focus\$5 adj30 beam\$1)).clm.   | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2007/07/18<br>21:14 |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 9  | BRS  | L9  | 3    | ((charged or electron\$1 or ion\$1) adj20 beam\$1) and (deflect\$5 adj30 beam\$1 adj30 edg\$5 adj30 aperture\$1) and ((select\$5 or set\$5 or determin\$5) adj30 focus\$5 adj30 beam\$1)         | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2007/07/18<br>21:28 |
| 10 | BRS  | L10 | 1    | ((((charged or electron\$1 or ion\$1) adj20 beam\$1) and (deflect\$5 adj30 beam\$1 adj30 edg\$5 adj30 aperture\$1) and ((select\$5 or set\$5 or determin\$5) adj30 focus\$5 adj30 beam\$1)).clm. | US-PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2007/07/18<br>21:28 |